

According to Regulation (EC) No. 1907/2006 REACH with its amendment  
Regulation (EU) 2015/830. Issue date: 01/12/2024, Revision date: 03/02/2021,  
Supersedes version of: 01/12/2014 Version 2.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name	Floors of Stone - Antique Beeswax
CAS No.	Not applicable
EC No.	Not applicable
REACH Registration No.	Not known
UFI	Y420-H0XM-E00J-XSYC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)	PC9a Coatings and paints, thinners, paint removers
Uses advised against	Not known

1.3. Details of the supplier of the safety data sheet

Supplier	Floors of Stone, Cotes Mill, Nottingham Road, Loughborough, Leicestershire, LE12 5TL
Telephone	+44 (0) 1509 234000
Office hours	08:30 - 17:00 (Mon - Fri) 10:00 - 17:00 (Sat)

1.4. Emergency telephone number

National response center	
Address	NHS Direct
Emergency Phone No.	+44 111

National poisons information centre

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

# Antique Beeswax

## SAFETY DATA SHEET

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1271/2008 [CLP]

**Flam.Sol. 2 Flammable**

**STOT SE 3**

**STOT RE 1**

**Aquatic Chronic 2**

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Product Name**

Antique Wax

**Hazard pictograms (CLP)**



GHS02



GHS08



GHS07



GHS09

**Signal word (CLP)**

Danger

**Hazard statements (CLP)**

H228 - Flammable solid.

H336 - May cause drowsiness or dizziness.

H372 - Causes damage to organs through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

**Precautionary statements (CLP)**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P501 - Dispose of contents in accordance with local, state or national legislation.

#### 2.3. Other hazards

None known

# Antique Beeswax

## SAFETY DATA SHEET

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Hazardous ingredient(s)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		920-750-0 01-2119473851-33	30-60	Flam. Liq. 2 H225 Asp. Tox. 1 H304 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		919-446-0 01-2119458049-33-xxxx	5-20	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H336 STOT RE 1 H372 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit.

For full text of H/P statements

See section 16

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
First-aid measures after skin contact	Get medical advice/attention if you feel unwell.
First-aid measures after eye contact	Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Treat symptomatically.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

# Antique Beeswax

## SAFETY DATA SHEET

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use water spray, dry powder or carbon dioxide to extinguish.
<b>Unsuitable extinguishing media</b>	None

#### 5.2. Special hazards arising from the substance or mixture

<b>Flammable solid</b>	Combustion or thermal decomposition will evolve toxic and irritant vapours.
------------------------	---

#### 5.3. Advice for firefighters

<b>Fire fighters should wear complete protective clothing including self-contained breathing apparatus.</b>	If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.
---	---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages.

#### 6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

#### 6.4. Reference to other sections

<b>For further information</b>	Refer to section 8 and section 13
--------------------------------	-----------------------------------

# Antique Beeswax

## SAFETY DATA SHEET

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Storage temperature	Ambient
Storage life	Stable under normal conditions.
Incompatible materials	None known

#### 7.3. Specific end use(s)

PC9a Coatings and paints, thinners, paint removers.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

##### 8.1.1. Occupational Exposure Limits

No occupational exposure limit assigned

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

Appropriate engineering controls	Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection.
----------------------------------	---

##### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



# Antique Beeswax

## SAFETY DATA SHEET

### 8.2.2.1. Eye and face protection

Eye protection:
Wear eye protection with side protection (EN166)

### 8.2.2.2. Skin protection

Skin and body protection:
Wear protective clothing and gloves: Impervious gloves (EN 374)

### 8.2.2.3. Respiratory protection

Respiratory protection:
A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be appropriate

### 8.2.2.4. Thermal hazards

Thermal hazards:
None known

### 8.2.3. Environmental exposure controls

Environmental exposure controls	Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.
---------------------------------	--

# Antique Beeswax

SAFETY DATA SHEET

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Not known
Odour	Aromatic odour
Melting point / freezing point	50 Melting Point (°C)
Boiling point	Not applicable
Flammability (solid, gas)	17 °C
Lower and upper explosion limit	Not known
Flash point	Not applicable
Auto-ignition temperature	Not known
Decomposition temperature	Not known
pH	Not known
Kinematic Viscosity	Not known
Solubility	Solubility (Water): Insoluble in water Solubility (Other): Not known
Partition coefficient n-octanol/ water (log value)	Not known
Vapour pressure	Not known
Density and/or relative density	Relative density : 0.8 g/ml
Relative vapour density	Not known
Particle characteristics	Not known

### 9.2. Other information

No additional information available

# Antique Beeswax

SAFETY DATA SHEET

---

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage  
and handling conditions

See section 7

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



## SAFETY DATA SHEET

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aspiration hazard	Not classified
-------------------	----------------

Not known

# Antique Beeswax

SAFETY DATA SHEET

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Toxicity – Aquatic invertebrates	Not known
Toxicity – Fish	Not known
Toxicity – Algae	Not known
Toxicity – Sediment Compartment	Not classified
Toxicity – Terrestrial Compartment	Not classified

### 12.2. Persistence and degradability

Not known

### 12.3. Bioaccumulative potential

Not known

### 12.4. Mobility in soil

Not known

### 12.5. Results of PBT and vPvB assessment

Not known

### 12.6. Endocrine disrupting properties

None known

### 12.7. Other adverse effects

Not known

# Antique Beeswax

SAFETY DATA SHEET

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

### 13.2. Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN No. 1263

### 14.2 UN proper shipping name

UN proper shipping name PAINT RELATED MATERIAL

### 14.3. Transport hazard

class(es) ADR/RID

ADR/RID Class 3

ADR Classification Code F1

Special Provisions 163 367 650

Limited Quantities 5 L

Excepted Quantities E1

Emergency Action Code •3Y

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages PP1

Mixed Packing Instructions for Packages MP19

Packing Instructions for Portable Tanks T2

# Antique Beeswax

## SAFETY DATA SHEET

---


Special Provisions for Portable Tanks	TP1 TP29
Tank Code for Tanks	LGBF
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL
ADR Transport Category	3
Tunnel Restriction Code	D/E
Special Provisions for Carriage – Packages	V12
Special Provisions for Carriage – Bulk	
Special Provisions for Carriage – Loading, Unloading and Handling	
Special Provisions for Carriage – Operation	S2
ADR HIN	30
IMDG	
IMDG Class	3
Special Provisions	163 367 650
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1
Packing Instructions for Portable Tanks	T2
Special Provisions for Portable Tanks	TP1 TP29
IMDG EMS	F-E, S-E
Stowage and Handling	Category A
Segregation Marine Pollutant	
ICAO / IATA	
IATA Proper Shipping Name	PAINT RELATED MATERIAL
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y344
Passenger and Cargo Aircraft Limited Quantities Max net Qty	10L
Passenger and Cargo Aircraft Packing Instructions	355
Passenger and Cargo Aircraft Max net Qty	60L

# Antique Beeswax

SAFETY DATA SHEET

Cargo Aircraft Packing Instructions	366
Cargo Aircraft Max net Qty	220L
Special Provisions	A3, A72, A192
Emergency Response Guidebook (ERG) Code	3L

Labels	
Labels	3



14.4. Packing group

Packing group	III
---------------	-----

14.5. Environmental hazards

Environmental hazards	Classified as a Marine Pollutant.
-----------------------	-----------------------------------

14.6. Special precautions for user

Special precautions for user	Not known
------------------------------	-----------

14.7. Maritime transport in bulk according to IMO instruments

No information available

# Antique Beeswax

## SAFETY DATA SHEET

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
REACH: ANNEX XIV list of substances subject to authorisation	Not listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (), Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ()
Community Rolling Action Plan (CoRAP)	Not listed
Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed

##### National regulations

Other Not known

#### 15.2. Chemical safety assessment

A REACH chemical safety assessment has not been carried out.

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

#### LEGEND

##### Hazard Pictogram(s)



GHS02



GHS08



GHS07



GHS09

# Antique Beeswax

## SAFETY DATA SHEET

---

### Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2  
Flam. Liq. 3 : Flammable liquid, Category 3  
Flam. Sol. 2 : Flammable solid, Category 2  
Asp. Tox. 1 : Aspiration hazard, Category 1  
STOT SE 3 : Specific target organ toxicity — single exposure, Category 3  
STOT RE 1 : Specific target organ toxicity — repeated exposure, Category 1  
Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

### Hazard Statement(s)

H225 - Highly flammable liquid and vapour.  
H226 - Flammable liquid and vapour.  
H228 - Flammable solid.  
H304 - May be fatal if swallowed and enters airways.  
H336 - May cause drowsiness or dizziness.  
H372 - Causes damage to organs through prolonged or repeated exposure.  
H411 - Toxic to aquatic life with long lasting effects.

### Precautionary statement(s)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting/equipment.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands and exposed skin thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 - Call a POISON CENTER/doctor if you feel unwell.  
P314 - Get medical advice/attention if you feel unwell.  
P370+P378 - In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
P391 - Collect spillage.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

# Antique Beeswax

## SAFETY DATA SHEET

P405 - Store locked up.

P501 - Dispose of contents in accordance with local, state or national legislation.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL	Derived-No Effect Level
EC	European Community
EINECS	European Inventory of Existing Commercial Chemical Substances
IATA	International Air Transport Association
IARC	International Agency for Research on Cancer
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
LTEL	Long term exposure limit
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL	Short term exposure limit
STOT	Specific Target Organ Toxicity
UN	United Nations
vPvB	Very Persistent and Very Bioaccumulative

Floors of Stone believes the data set forth herein is accurate as of the data hereof. Floors of Stone makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.